Kubota



KUBOTA ZERO-TURN MOWER

Kommender **ZG100 Series** zg124E / ZG127E / ZG123S / ZG127S

The ultimate residential zero turn mower combining style, comfort and performance.





S-model
ZG1235 & ZG1275 Equipped with LED Headlights and Full Seat Suspension



Mow your lawn like a pro, with the smooth, effortless performance of the Kommander.

COMFORT & STYLE, PLUS EASY OPERATION

There's a lot to like about Kommander. From their comfortable ergonomic design to their style and convenience, these attractive, hardworking mowers are designed to make mowing as easy as possible.

SMOOTH OPERATION LEVERS

Dual operation levers provide the smooth, precise control you'll need for delicate trimming and work around trees and flowerbeds.

6" SLIDE SEAT -

The seat slides a full 6" forward and back, letting you find just the right position for maximum personal comfort.

STANDARD ROPS

For safety and peace of mind, all Kommander mowers are equipped with a full-height ROPS.

4 STORAGE BOXES

For your tools, lunch, and anything else too big or heavy for your pockets.

KUBOTA

K-LIFT (Mechanical One Push Deck Lift Pedal)

The K-Lift pedal makes adjusting the cutting height simple.



Push and release the pedal to raise the deck



2 Use the dial to adjust the cutting height



Push and release the pedal again to lower the deck



COMFORT / CONVENIENCE / STYLE



HIGH BACK SEAT

Soft and roomy, the high back seat will keep you comfortable even on those extra-long mowing jobs.



WIDE FOOT PAN

There's plenty of legroom up front, thanks to a wide foot pan. It also makes entry and exit a snap.



CUP HOLDERS

Keep your drink cup or tumbler always handy in the integrated cup holders.



LED HEADLIGHTS

Standard on the S-model and optional on the E-model, the bright LED headlight lets you continue mowing in low light conditions.

EASY OPERATION



1/4" INCREMENT CUTTING HEIGHT ADJUSTMENT

A simple twist of a dial lets you adjust the cutting height in precise 1/4" increments.




ERGONOMIC CONTROL LAYOUT

All controls and indicators are neatly placed for quick, easy, user-friendly access.



WHEN PERFORMANCE COUNTS...





POWERFUL ENGINES

Power defines the Kommander's hardworking engines. Whatever the mowing job, you can count on the Kommander to deliver power when you need it.



RUGGED TRANSMISSION

All that power from the engine is delivered to the wheels and mower deck through a rugged, Hydro-Gear commercial ZT3100 transmission.





Specifications

Model			E-Series		S-Series		
				ZG124E-48	ZG127E-54	ZG123S-48	ZG127S-54
Engine	Туре				Petrol, air-o	cooled V-Twin	
	Max. horsepower (Gross)*		HP	24	27	23	27
	Total displacement cc		СС	724 725			
	Starting system			Key switch			
Dimensions	Overall length		mm	1940			
	Overall width	(w/ mower)	mm	1552	1710	1552	1710
		(w/o mower)	mm	1207 1652			
	Overall height	(w/ ROPS upright)	mm				
Wheel base mm			1155				
Tread	Front		mm	796			
	Rear		mm	954			
Гуге size	Front			11 × 4 – 5 pneumatic			
	Rear			22 × 10 – 14			
Weight (w/ mower) kg			330	3	340	350	
Transmission				Hydro-Gear Commercial ZT3100			
Transmission system				2-HST w/ Gear reduction			
Speed control				2-hand lever			
Travel speed	Forward	orward km/h		0–12.9			
range	Reverse		km/h	0–6.4			
Brake type			Cog style parking lock / lever				
РТО	Туре		Belt drive				
	Clutch type			Ogura GT1A Electric clutch			
	PTO brake			Dry disc			
Mower deck	Model			RCK48P-124Z	RCK54P-127Z	RCK48P-124Z	RCK54P-127
	Mower lift sys	stem		Mechanical			
	Mower deck type			Pro commercial fabricated deck			
	Deck depth		mm	127			
	Belt type			Single belt			
	Deck steel th	nickness	mm	3.4			
	Anti-scalp roller			Rigid			
	Cutting width	of mower	in.	48	54	48	54
	Number of bl	lades			3 b	lades	
	Cutting height		1.5 in 4.5 in. 1/4" in. increments				
	Mower mounting system			Parallel linkage			
	Blade tip speed (max.)		FPM	18100			
Engine stop system			Key stop				
Fuel tank capacity trs.			16				
Battery			U1 (12V, RC: 45min, CCA: 300, CA: 410)				
Generator capacity Amp			16 15				
Hour meter			Standard				
Fuel gauge					Sight	window	
SAE 11040							

^{*}SAE J1940

The company reserves the right to change the above specifications without notice. This brochure is for descriptive purposes only. Please contact your local Kubota dealer for warranty information. For your safety, Kubota strongly recommends the use of a Rollover Protective Structure (ROPS) and seat belt in almost all applications.

Attachment & Option Kit



Grass Catcher

Easily attached and detached without ever requiring the use of any tools, the optional 6 bushels (211 liters) grass catcher.



Mulching Kit

Kommander ZG100 series can be fitted with deck baffles to contain clippings for optimal mulching performance.

- Mower Lift Assist Kit
- LED Headlights*
- Seat Suspension Kit*
 *Standard on ZG123S and ZG127S models.

©2013 Kubota Corporation

